washer dryer, 7/4 kg, 1400 rpm V6540X1GB





- $\sqrt{}$ AquaStop offers reliable protection against water damage.
- $\sqrt{7/4}$ kg load capacity: wash 7 kg, dry 4 kg.











Feature:

Technical Data

Built-in / Free-standing : Free-standing

Removable top : No Door hinge : Left

Length electrical supply cord (cm): 220 Height of removable worktop (mm): 820

Net weight (kg): 85.360 Drum volume (l): 52 EAN code: 4242004197010 Connection Rating (W): 2300

Current (A): 13 Voltage (V): 220-240 Frequency (Hz): 50

Approval certificates : CE, VDE

Energy consumption (wash and dry of full wash load) (kWh) : 5.40

Energy consumption (wash only) (kWh): 1.35

Water consumption (wash and dry full wash load) (I): 90





Features

Performance

- Label: Energy efficiency B at a range of energy efficiency classes from A to G / Washing performance A
- Energy consumption wash and dry 5.4 kWh Water consumption wash and dry 90 litres
- Capacity: 7 kg washing, 4 kg drying
- Drum volume: 52 litres
- Non-stop wash and dry programme 4 kg
- Maximum spin speed: 1400 rpm**
- Noise level: washing 57 dB (re 1pW) Noise level: spinning 74 dB (re 1pW)
- Noise level spinning (dB): 74

Programmes/functions

- Special programmes: easy-care, Night wash, Mixed Load, Sensitive, Sports wash, Rapid 15, Rinsing / Spinning, Drain / Spin, 30°C, Handwash wool, Delicates/Silk
- Special programme drying: fluff removal cycle

Key features

• Buttons: Start, Spin speed reduction, Change, menu, Drying time, Temperature and 24 hr Time Delay

Additional features

- AquaStop: Neff home appliance with lifetime warranty against water damage
- Large display for programme progress indication, temperature, spin speed, time remaining and 24 hours time delay, and indication of drying level
- Fully electronic control dial for all wash and special programmes
- Electronic Humidity Control, Timed drying programmes
- Automatic load adjustment system
- Foam detection system
- Safeguard monitoring system adjusts load distribution
- Buzzer to indicate the end of cycle
- Child safety lock
- White door with 180° opening door and 30 cm porthole opening
- Left hinged door
- Metal door catch
- Reload facility

Technical Information

- adjustable base height: 16.5 cm
- adjustable base depth: 6.5 cm
- \bullet Dimensions (H x W x D): 82 x 59.5 x Appliance depth: 56 cm
- Height adjustment with Cardan drive
- Fully integratable
- ** Values are rounded.



