

# N 90, BUILT-IN COMPACT OVEN WITH MICROWAVE FUNCTION, 60 X 45 CM, FLEX DESIGN C29MS7KY0



Z9045DY0 FlexDesign DB 45 Compact/MW 45, Z9045MY0 FlexDesign MS 45 Compact/MW 45, Z9060AY0 (SC)FlexDesign AG 60 Oven 60, Z9060BY0 (SC)FlexDesign BB 60 Oven 60, Z9060DY0 (SC)FlexDesign DB 60 Oven 60, Z9060MY0 (SC)FlexDesign MS 60 Oven 60, Z9075AY0 SC FlexDesign AG 75 WD 14 + 60, Z9075BY0 SC FlexDesign BB 75 WD 14 + 60, Z9075DY0 SC FlexDesign DB 75 WD 14 + 60, Z9075MY0 SC FlexDesign MS 75 WD 14 + 60, Z9098AY0 SC FlexDesign AG 98 60 + MW 38, Z9098BY0 SC FlexDesign BB 98 60 + MW 38, Z13CV05S0 Cover Strip, Z13CV06S0 Decor strip, Z1655CA0 Air Fry & Grill tray, Z1913X0 Baking Stone, Z9045AY0 FlexDesign AG 45 Compact/MW 45, Z9045BY0 FlexDesign BB 45 Compact/MW 45, Z9098DY0 SC FlexDesign DB 98 60 + MW 38, Z9098MY0 SC FlexDesign MS 98 60 + MW 38, Z9105AY0 SC FlexDesign AG 105 60 + 45, Z9105BY0 SC FlexDesign BB 105 60 + 45, Z9105DY0 SC FlexDesign DB 105 60 + 45. Z9105MY0 SC FlexDesian MS 105 60 + 45. Z912AAY0 SC FlexDesign AG 120 WD14 + 60 + 45, Z912ABY0 SC FlexDesign BB 120 WD14 + 60 + 45, Z912ADY0 SC FlexDesign DB 120 WD14 + 60 + 45, Z912AMY0 SC FlexDesign MS 120 WD14 + 60 + 45, Z990AAY0 SC FlexDesign AG 90 WD 29 + 60, Z990ABY0 SC FlexDesign BB 90 WD 29 + 60, Z990ADY0 SC FlexDesign DB 90 WD 29 + 60, Z990AMY0 SC FlexDesign MS 90 WD 29 + 60, Z990BAY0 SC FlexDesign AG 90 45 + 45, Z990BBY0 SC FlexDesign BB 90 45 + 45, Z990BDY0 SC FlexDesign DB 90 45 + 45, Z990BMY0 SC FlexDesign MS 90 45 + 45, Z99RX70X0 Connecting cable 3m, Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CR10X0 Baking and roasting grid (standard), Z11GU20X0 Glasspan, Z11SZ00X1 SC FlexDesign mounting kit, Z12CB10A0 Baking tray, enamelled, Z12CM10A0 Moussaka pan, enamelled, Z12CP10A0 Pizza pan, enamelled, Z12CU10A0 Multipurpose pan, enamelled

Z9045DY0 FlexDesign DB 45 Compact/MW 45, Z9045MY0 FlexDesign MS 45 Compact/MW 45, Z9105AY0 SC FlexDesign AG 105 60 + 45, Z9105BY0 SC FlexDesign BB 105 60 + 45, Z9105DY0 SC FlexDesign DB 105 60 + 45, Z9105MY0 SC FlexDesign MS 105 60 + 45, Z912AAY0 SC FlexDesign AG 120 WD14 + 60 + 45, Z912ABY0 SC FlexDesign BB 120 WD14 + 60 + 45, Z912ADY0 SC FlexDesign DB 120 WD14 + 60 + 45, Z912AMY0 SC FlexDesign MS

Flex Design compact built-in oven with microwave - changeable design elements with different colours to choose. Home Connect - control your oven via the App.

- $\sqrt{4}$ ,1" Full Touch TFT Display Easy to use and intuitive menu for smart and enjoyable cooking.
- $\sqrt{\mbox{Flex Design}}$  Choose a finishing touch to match your kitchen's aesthetic now and later!
- $\sqrt{}$  Seamless Combination with Flex Design Watch your favourite appliances blend together seamlessly.
- $\sqrt{\phantom{.}}$  Combined microwave and oven the convenient solution to save space and time
- $\sqrt{}$  Inverter Technology Heat food gradually and evenly.

Type of micro-wave oven:	MW-Combi
Built-in / Free-standing:	Built-in
Door opening:	Handle
Door colour:	Black
Integrated Cleaning system:	Pyrolytic+Hydrolytic
Control Panel Material:	Glass
Dimensions:	455x596x548 mm
Dimensions of the packed product (HxWxD)	: . 540 x 650 x 680 mm





120 WD14 + 60 + 45, Z990BAY0 SC FlexDesign AG 90 45 + 45, Z990BBY0 SC FlexDesign BB 90 45 + 45, Z990BDY0 SC FlexDesign DB 90 45 + 45, Z990BMY0 SC FlexDesign MS 90 45 + 45, Z11SZ00X1 SC FlexDesign mounting kit, Z9045AY0 FlexDesign AG 45 Compact/MW 45, Z9045BY0 FlexDesign BB 45 Compact/MW 45



## N 90, BUILT-IN COMPACT OVEN WITH MICROWAVE FUNCTION, 60 X 45 CM, FLEX DESIGN C29MS7KY0

#### **Heating Functions**

- Compact oven with microwave with 20 PC heating methods: CircoTherm
- Bread Baking Full surface grill Dough proving CircoTherm gentle Centre area grill Top/Bottom heat Top/bottom heating gentle Pizza setting Low temperature / slow cooking Bottom heat CircoRoasting Pre-Heating Keep warmMicrowave only heating method: Microwave, 5 power levels
- Combination microwave and Oven heating method: 4D Hot air
- Full width grill Half width grill Conventional heat Hot air grilling
- Crisp Finish, you can activate the function on the following heating methods: CircoTherm, Top/Bottom heating, CircoRoasting, Pizza setting.
- Rapid heat-up: Reduce the preheat time at the touch of a button
- Max. Power: 900 W; With 5 Microwave power settings (90 W,180 W,360 W,600 W, boost) with Inverter (MW)
- Intelligent inverter technology: maximum output power will be regulated to 600 W when used in longer operation
- Temperature range 30 °C 275 °C

### Racks and Rails

- Number of shelf levels: 3
- Telescopic rails: Telescopic rail (1 level), standard extension, pyrolitic proof

### Design

- Flex Design: 4 elegant colours of your choice, Anthracite-Grey, Brushed-Bronze, Deep-black, Metallic-Silver.
- Anthracite enamel cavity with 3 shelf positions
- 4.1" Full Touch TFT Display
- Full Touch Control
- Cavity volume: 45 l
- Cooling fan

### Cleaning

- Pyrolytic self-cleaning
- Easy Clean cleaning program

### Convenience

- Oven Assistant with Voice Control: With the use of Amazon Alexa or Google home, once fully set up.
- Flectronic clock
- Automatic Temperature control for each function
- Temperature control and display on screen Residual heat indicator
- SoftMove oven door with soft close, with SoftOpen system, Bottom hinged door
- Built in cooking functions: Dish categories
- Independent oven interior light button, LED lighting
- Stainless-steel fan
- HomeConnect ready on Wi-Fi, Remote diagnostics
- Home Connect helps you to unleash your cooking creativity by allowing you to manage your oven, warming drawer and coffee machine over your Wi-Fi. Tap via the app, speak to your oven with voice control, and make appliances interact with one another

automatically. Home Connect is an ever-growing platform that brings the future to your kitchen Software Update Appliance

#### Safety Features

- Low door temperature, when in use or pyrolytic cleaning
- Quadruple glass door panel glazed, Low door temperature when in use.
- Individual adjustable child lock
- Residual heat indicator Safety switch off Start button door contact switch Automatic door lock during pyrolysis

#### Accessories

combination grid, 1 x Universal pan

## Technical Information


- $\bullet$  Length of mains cable: 150 cm  $\,$
- Nominal voltage: 220 240 V
- Total connected load electric: 3.6 KW

#### Dimensions

- Appliance dimension (HxWxD): 455 mm x 596 mm x 548 mm
- Installation dimensions (HxWxD): 450 mm 455 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing




# N 90, BUILT-IN COMPACT OVEN WITH MICROWAVE FUNCTION, 60 X 45 CM, FLEX DESIGN C29MS7KY0





Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into acccount.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	fitted 42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm