


*N 70, GAS COOKTOP, 60 CM, STAINLESS STEEL
T26DS59N0A*



Z2480X0 Simmer plate
Z32SW10X0 Wok ring

The gas cooktop with a stainless-steel surface design and FlameSelect adjustment functionality.

Product name/family:gas hob w
integrated controls
Built-in / Free-standing: Built-in
Energy input: Gas
Total number of positions that can be used at the same time: 4
Type of control setting devices: sword knobs
Required niche size for installation (HxWxD):45 x 560-562 x
480-492 mm
Width of the appliance:582 mm
Dimensions: 53x582x520 mm
Dimensions of the packed product (HxWxD): . 141 x 651 x 578 mm
Net weight: 12.1 kg
Gross weight: 13.0 kg
Residual heat indicator:without
Location of control panel: Front
Basic surface material: Stainless steel
Color of surface: Stainless steel, Stainless steel
Color of frame: Stainless steel, Stainless steel
Length electrical supply cord: 100.0 cm
EAN code:4242004218159
Gas connection rating:8000 W
Fuse protection:3 A
Voltage:220-240 V
Frequency:60; 50 Hz



N 70, GAS COOKTOP, 60 CM, STAINLESS STEEL T26DS59N0A

Design

- 60 cm width
- Stainless steel
- Sword control knobs

Comfort & Convenience

- 4 Gas Burners
- FlameSelect (precise control in 9 steps)
- Enamelled cast iron pan supports on non-scratch rubber feet
- One-hand ignition via sword control knobs
- Dual wok burner

Size & Power

- 1 High-speed, 1 Standard, 1 Economy, 1 Wok burner
- Left rear: Standard burner up to 1.75 KW
- Right rear: Wok burner up to 13.6 MJ/h
- Left front: Standard burner up to 6.85 MJ/h
- Right front: Economy burner up to 4 MJ/h

Safety and Environment

- Flame failure device fitted to each individual burner

Dimensions

- Installation measurements: 560 mm x 480 mm
- Power cord length: 100 cm

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

