


N 90, Induction hob, 60 cm, Black
T56TS31N0




COOKING PASSION SINCE 1877



Standalone FlexInduction cooktop with TwistPad® Fire control.

- ✓ Induction - With induction cooking, the heat is generated directly in the cookware for precise cooking that stops when power is off.
- ✓ FlexInduction - The FlexZone lets you place your pots and pans anywhere you want and heats them exactly where they stand.
- ✓ The TwistPad® Fire is a removable, magnetic, illuminated control knob that gives you precise, convenient control over all cooking zones. And to make things even easier, only the selectable functions are illuminated.
- ✓ PowerMove - The FlexZone is divided into three heating zones: boiling in front, simmering in the middle and warming in the rear.
- ✓ FryingSensor - The FryingSensor with 5 selectable temperature settings monitors the set temperature and holds it steady. So there's no more burning.
- ✓ Stainless-steel flush-fitted trim



Features

Technical Data

Product name/family : Cooking zone ceramic
 Construction type : Built-in
 Energy input : Electric
 Total number of positions that can be used at the same time : 3
 Required niche size for installation (HxWxD) : 51 x 560-560 x 490-500
 Width of the product (mm) : 606
 Dimensions of the product (mm) : 51 x 606 x 546
 Dimensions of the packed product (HxWxD) (mm) : 126 x 753 x 603
 Net weight (kg) : 13.771
 Gross weight (kg) : 15.0
 Residual heat indicator : Separate
 Location of control panel : Hob front
 Basic surface material : Ceramic
 Color of surface : Black, Stainless steel
 Color of frame : Stainless steel
 Approval certificates : AENOR, CE
 Length electrical supply cord (cm) : 110
 EAN code : 4242004191797
 Electrical connection rating (W) : 7400
 Voltage (V) : 220-240
 Frequency (Hz) : 60; 50

Optional accessories

Z9410X1	Stainless Steel roaster with glas lid
Z9415X1	Steaming Rack for Stainless Steel roaste
Z9416X2	Griddle Plate
Z9417X2	Teppan Yaki (large)
Z9442X0	Set of 3 pots and 1 pan



N 90, Induction hob, 60 cm, Black
T56TS31N0

Features

- 3 induction zones
- Powerboost function for each cooking zone

Design

- Design frame
- 60 cm width

Flexibility

- Flex zone
- PowerMove

Comfort


- Can be combined with all hobs in comfort design
- 17 - stage power setting for each cooking zone
- Residual heat indicator: Digital 2-step
- Time with time programming functions
 - Alarm clock
 - Count up timer per cooktop
- Automatic pan recognition sensor
 - Power management function
 - Automatic Safety switch-off
 - Control panel lock
 - Wipe protection function
- FryingSensor with 5 temperature settings
- Spill protection
- Power ON indicator

Technical information

- Min. worktop thickness: 30 mm
- Installation measurements: 560 mmx490 mm
- 7.4 kW total connected load
- Length wire connection: 110 cm
- Cooking zones: 1 x Ø 280 mm, 2.6 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 380 mmx210 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 190 mm, 2.2 KW (max. Power levels 3.7 KW) Induction

N 90, Induction hob, 60 cm, Black
T56TS31N0

Dimensioned drawings



- A:** Minimum distance from the hob cut-out to the wall.
- B:** Recessed depth
- C:** With fitted oven underneath min. 30, possibly more; see space requirements for the oven.